

Distributed by:



A Sime Darby Motors Company

Business and Commercial Fleet Customers?

The Ford portfolio is growing rapidly across the Asia Pacific Region, see your local Ford dealer or call us for details today @ 1 300 383 181


For more information, visit www.sdacford.com.my

Illustration, descriptions and specifications. This catalogue was correct at the time of going to print. However, Ford policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer. **Optional equipment.** Throughout this publication, wherever a feature is described as being an 'Option' or 'Optional Fitment/Pack', etc., you should assume that it will be at extra cost to the base vehicle, unless specifically stated to the contrary. All models and colour combinations are subject to availability in the market. **Note.** Some images portrayed are of a pre-production model and/or are computer generated, therefore, the design/features on the final version of the vehicle may differ in various aspects. In addition, some of the features shown on the vehicles may be optional. **Note.** This brochure contains both original Ford accessories as well as a range of carefully selected products from our suppliers, which are featured under their own brands. All supplier branded products are subject to warranty terms defined by the relevant suppliers and do not lie within the responsibility of Ford. **Note.** The Bluetooth® trademark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ford Motor Company is under license. Other trademarks and trade are those of their respective owners.

Authorised Dealer

2021/11

Ford Ranger
WildTrak | XLT Plus | XLT | XL





The First of its Kind

Packed with Ford's latest innovations, Ranger delivers where other tough trucks don't. Ranger comes with many first and only in-class features never seen in a pickup truck before.

First and only in-class 2.0L Bi-Turbo Diesel Engine which makes it the most powerful engine in a truck.

First and only in-class 10-Speed Transmission giving the Ranger improved performance and fuel efficiency.

First in-class Autonomous Emergency Braking (AEB)* detects pedestrians and vehicles, and automatically applies the brakes to help minimise a collision at up to 60km/h.

First in-class Forward Collision Warning* detects a potential collision which triggers an audible warning and pre-charges and increases brake assist sensitivity to provide full responsiveness when you brake.

First in-class Lane Departure Warning* vibrates the steering wheel if you unintentionally move out of your lane. If you still don't react, Lane Keeping Aid steers you back on track.

First and only in-class Semi-Automatic Parallel Parking (SAPP)* scans available parking spots and practically parks itself.

First in-class Adaptive Cruise Control* scans traffic and adjusts speed automatically. When traffic slows down, Ranger slows down too. When traffic clears, Ranger returns to your pre-set speed.

First in-class Easy Lift Tailgate incorporates a torsion bar to make lifting and lowering the tailgate effortless. Makes light work of big loads.

*Warning: Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.

LIVE THE
RANGER LIFE
Ford



Get to Know the Ford Ranger WildTrak

Scan to view video



A Gentle Lift

With 60% less effort needed, Easy Lift Tailgate allow opening and closing the tailgate with just a lift of a finger.



Light and Easy

800mm water wading and heavy towing capacity make heavy duties light and easy.



Power Up

Keep your devices charged throughout your journey with 230V power outlet.



Scan to view video

Let the Torque Do the Talking

Ranger WildTrak's first and only in-class 2.0L Bi-Turbo diesel engine is a stroke of genius. Two turbo charges work independently to deliver extra torque on demand.



Lane Keeping System



Autonomous Emergency Braking (AEB) with Pedestrian Detection*



Rollover Mitigation



Scan to view our walkaround video



Responding to Your Demands

Ford's first and only in-class 10-Speed Automatic Transmission delivers more power, more torque, and more accurate, swifter gear changes.



Shift-On-The-Fly

Move effortlessly between 2WD and 4WD high mode or low mode.



Semi-Automatic Parallel Parking*

Ford Ranger's first and only in-class Semi-Automatic Parallel Parking that helps you scan your surrounding area, before automatically steering itself in for a perfect park.



Scan to view video



SYNC®3

SYNC®3 includes Apple CarPlay, Android Auto, and AppLink™ compatibility. The 8-inch touchscreen display unit also supports Bluetooth, voice recognition and navigation.



Scan to view video

*Warning: Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.

Specification Sheet for Ranger (WildTrak)

2.0L WildTrak Automatic	
4x4 High Rider	
ENGINE	
Type	Diesel (I4) with Bi-Turbo
Displacement	c.c. 1996
Power	kW (PS) @ rpm 156.7 (213) @ 3750
Torque	Nm @ rpm 500 @ 1750 - 2000
Fuel Supply System	Commonrail Direct Injection
TRANSMISSION & CHASSIS	
Transmission Type	10-Speed Automatic with SelectShift
Electronic Shift-on-the-fly (ESOF)	Standard
Front Suspension	Double Wishbone with Coil Spring
Rear Suspension	Leaf Spring
Front Brake	Ventilated Disc
Rear Brake	Drum
Differential Type	e-Locking Rear Differential
Steering System	Rack & Pinion
Tyres & Wheels	265/60 R18, Alloy
DIMENSIONS	
Overall Length	(mm) 5426
Overall Width (Exclude Side Mirror)	(mm) 1860
Overall Height	(mm) 1848
Wheelbase	(mm) 3220
Ground Clearance	(mm) 237
Front Track	(mm) 1560
Rear Track	(mm) 1560
Cargo Bed Length	(mm) 1549
Cargo Bed Width	(mm) 1560
Cargo Bed W.Whl Arch	(mm) 1139
Cargo Bed Open T/Gate	(mm) 1330
Cargo Bed Loading Height	(mm) 801
Cargo Bed Depth	(mm) 511
Kerb Weight	(kg) 2156
Gross Weight	(kg) 3200
Fuel Tank Capacity	(Litres) 80
EXTERIOR FEATURE	
Front Grille	WildTrak Scheme
Bumpers	Body Coloured
Headlamps with Manual Leveling	Automatic LED Projector
Daytime Running Light (DRL)	LED
Fog Lamps	Front LED & Rear
Wiper System	Rain Sensing
Wing Mirror	Power Adjustable & Foldable, Puddle Lamps with Turning Indicators
Side Steps	Standard
Bedliner	Standard
Sport Bar	Standard
Front Parking Sensor	Standard
Rear Parking Sensor	Standard
Roof Rails	Standard
12V Socket (Cargo Bed)	Standard
Easy Lift Tailgate	Standard
Cargo LED Light	Standard
INTERIOR FEATURE	
Cruise Control	Adaptive
Steering Wheel	Leather with Control Switches
Power Assisted Steering	Electric (EPAS)
Audio System	8" Touchscreen Display Headunit with Bluetooth, Voice Recognition, Navigation, 2x USB & 6 Speakers
Windscreen Mounted USB	1x USB

2.0L WildTrak Automatic	
4x4 High Rider	
INTERIOR FEATURE	
SYNC®	SYNC®3
Apple CarPlay & Android Auto	Support
Rear View Mirror	Auto Dimming
Climate Control	Automatic Dual Zone
12V Socket (Front)	Standard
Power Windows	Standard with Driver 1 - Touch Up/Down
Driver Seat	6-Way Power Adjustable Seat
Passenger Seat	2-Way Manual Adjustable Seat
Seat Material	WildTrak Premium Leather
Remote Central Locking	Standard
Keyless Entry with Push-Start Button (PEPS)	Standard
TFT Cluster Display	Dual 4"
Cooled Console	Standard
230V AC Outlet (150W)	Standard
SAFETY & SECURITY	
Airbags (Driver & Front Passenger)	Standard
Airbags (Sides & Curtains)	Standard
Rear View Camera	Standard
Tailgate Lock	Standard
Volumetric Burglar Alarm System	Standard
Immobilizer	Standard
ISOFIX	Standard
Antilock Braking System (ABS)	Standard
Electronic Brake Force Distribution (EBD)	Standard
Electronic Stability Control (ESC) with Traction Control	Standard
Emergency Brake Assist (EBA)	Standard
Hill Descent Control (HDC)	Standard
Hill Launch Assist (HLA)	Standard
Rollover Mitigation (ROM)	Standard
Trailer Sway Control (TSC)	Standard
Adaptive Load Control (ALC)	Standard
Forward Collision Warning (FCW)	Standard
Lane Departure Warning & Assist	Standard
Semi Automatic Parallel Parking (SAPP)	Standard
Autonomous Emergency Braking (AEB) with Vehicle & Pedestrian Detection	Standard
MyKey®	Standard
STRENGTH & BREADTH OF CAPABILITIES	
Cargo Bed Volumetric Capacity	(cu.mtr) 1.18
Maximum Payload	(kg) Up to 1000
Towing Capacity	(kg) Up to 3500
Water Wading Depth	(mm) 800
Angle of Approach (Curb)	(degree) 29.4
Angle of Departure (Curb)	(degree) 22
Rampover Angle (Curb)	(degree) 21.5
COLOUR	



Artic White



Meteor Grey



Absolute Black



Saber

LIVE THE
RANGER LIFE
Ford




Ranger XLT Plus



Bridge the Odds

The Ranger XLT Plus with class-leading 800mm water wading and heavy towing capacity confidently transport you and your cargo across rivers with absolute confidence.



Traction Control System

Sensors individually monitor each wheel to maximize grip and help avoid wheel spin.

Get to Know the Ford Ranger XLT Plus



Roar Power

The Ranger XLT Plus made sure its powerful presence is heard with its first and only in-class 10-speed automatic transmission and refined 2.0L Single-Turbo diesel engine.



Scan to view our walkaround video

Room For More

The extra legroom and large doors in the double cab add comfort and practicality, while bulky work gear fits easily in the spacious truck bed.




Let There Be Light

HID headlights* improves your vision at night, while the Daytime Running Lamps enhances your road presence during the day.



Straight to The Key Point

As long as your key fob is with you, just pull on the front door handle and they'll unlock. Once inside, put your foot on the brake, press the start button and drive away.



Seamless Connectivity

SYNC[®]3 delivers next-level connectivity with great features, including Apple CarPlay, Android Auto, and AppLink™ compatibility. The 8-inch touchscreen display unit also supports Bluetooth, voice recognition and navigation.

Scan to view video



Specification Sheet for Ranger (XLT)

	2.2L XLT Manual	2.2L XLT Automatic	2.0L XLT Plus
	4x4 High Rider	4x4 High Rider	4x4 High Rider
ENGINE			
Type	Diesel (I4) with VGT	Diesel (I4) with VGT	Diesel (I4) with VGT
Displacement	c.c. 2198	2198	1996
Power	kW (PS) @ rpm 118 (160) @ 3200	118 (160) @ 3200	132,4 (180) @ 3500
Torque	Nm @ rpm 385 @ 1600 - 2600	385 @ 1600 - 2600	420 @ 1750 - 2500
Fuel Supply System	Commonrail Direct Injection	Commonrail Direct Injection	Commonrail Direct Injection
TRANSMISSION & CHASSIS			
Transmission Type	6-Speed Manual	6-Speed Automatic	10-Speed Automatic with SelectShift
Electronic Shift-on-the-fly (ESOF)	Standard	Standard	Standard
Front Suspension	Double Wishbone with Coil Spring	Double Wishbone with Coil Spring	Double Wishbone with Coil Spring
Rear Suspension	Leaf Spring	Leaf Spring	Leaf Spring
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brake	Drum	Drum	Drum
Differential Type	Limited Slip Differential	Limited Slip Differential	Limited Slip Differential
Steering System	Rack & Pinion	Rack & Pinion	Rack & Pinion
Tyres & Wheels	265/65 R17, Alloy	265/65 R17, Alloy	265/60 R18, Alloy
DIMENSIONS			
Overall Length	(mm) 5426	5426	5426
Overall Width (Exclude Side Mirror)	(mm) 1860	1860	1860
Overall Height	(mm) 1848	1848	1848
Wheelbase	(mm) 3220	3220	3220
Ground Clearance	(mm) 237	237	237
Front Track	(mm) 1560	1560	1560
Rear Track	(mm) 1560	1560	1560
Cargo Bed Length	(mm) 1549	1549	1549
Cargo Bed Width	(mm) 1560	1560	1560
Cargo Bed W.Whl Arch	(mm) 1139	1139	1139
Cargo Bed Open T/Gate	(mm) 1330	1330	1330
Cargo Bed Loading Height	(mm) 801	801	801
Cargo Bed Depth	(mm) 511	511	511
Kerb Weight	(kg) 2082	2102	2090
Gross Weight	(kg) 3200	3200	3200
Fuel Tank Capacity	(Litres) 80	80	80
EXTERIOR FEATURE			
Front Grille	Chrome	Chrome	Chrome
Bumpers	Body Coloured	Body Coloured	Body Coloured with Silver Bumper Lip
Headlamps with Manual Leveling	Automatic Halogen Projector	Automatic Halogen Projector	Automatic LED Projector
Daytime Running Light (DRL)	Standard	Standard	LED
Fog Lamps	Front & Rear	Front & Rear	Front & Rear
Wiper System	Standard	Standard	Standard
Wing Mirror	Power Adjustable & Foldable with Turning Indicators	Power Adjustable & Foldable with Turning Indicators	Power Adjustable & Foldable with Turning Indicators
Side Steps	Standard	Standard	Standard
Bedliner	Standard	Standard	Standard
Sport Bar	Standard	Standard	Standard
Rear Parking Sensor	Standard	Standard	Standard
Easy Lift Tailgate	-	-	Standard
Cargo LED Light	Standard	Standard	Standard
INTERIOR FEATURE			
Cruise Control	Standard	Standard	Standard
Steering Wheel	Leather with Control Switches	Leather with Control Switches	Leather with Control Switches
Power Assisted Steering	Electric (EPAS)	Electric (EPAS)	Electric (EPAS)
Audio System	8" Touchscreen Headunit with Bluetooth, Voice Recognition USB & 6 Speakers	8" Touchscreen Headunit with Bluetooth, Voice Recognition USB & 6 Speakers	8" Touchscreen Display Headunit with Bluetooth, Voice Recognition, 2x USB & 6 Speakers
SYNC®	SYNC®1	SYNC®1	SYNC®3
Power Assisted Steering	-	-	Support
TFT Cluster Display	-	-	Dual 4"

	2.2L XLT Manual	2.2L XLT Automatic	2.0L XLT Plus
	4x4 High Rider	4x4 High Rider	4x4 High Rider
INTERIOR FEATURE			
Rear View Mirror	Standard	Standard	Standard
Climate Control	Manual	Manual	Automatic Dual Zone
12V Socket (Front)	Standard	Standard	Standard
Power Windows	Standard with Driver 1 - Touch Down	Standard with Driver 1 - Touch Down	Standard with Driver 1 - Touch Down
Driver Seat	4-Way Manual Adjustable Seat	4-Way Manual Adjustable Seat	4-Way Manual Adjustable Seat
Passenger Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat
Seat Material	Premium Fabric	Premium Fabric	Leather
Remote Central Locking	Standard	Standard	Standard
Keyless Entry with Push-Start Button (PEPS)	-	-	Standard
SAFETY & SECURITY			
Airbags (Driver & Front Passenger)	Standard	Standard	Standard
Rear View Camera	Standard	Standard	Standard
Volumetric Burglar Alarm System	Standard	Standard	Standard
Immobilizer	Standard	Standard	Standard
ISOFIX	Standard	Standard	Standard
Antilock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake Force Distribution (EBD)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Emergency Brake Assist (EBA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Hill Launch Assist (HLA)	Standard	Standard	Standard
Rollover Mitigation (ROM)	Standard	Standard	Standard
Trailer Sway Control (TSC)	Standard	Standard	Standard
Adaptive Load Control (ALC)	Standard	Standard	Standard
MyKey®	-	-	Standard
STRENGTH & BREADTH OF CAPABILITIES			
Cargo Bed Volumetric Capacity (cu.mtr)	1,18	1,18	1,18
Maximum Payload (kg)	Up to 1000	Up to 1000	Up to 1000
Towing Capacity (kg)	Up to 3500	Up to 3500	Up to 3500
Water Wading Depth (mm)	800	800	800
Angle of Approach (Curb) (degree)	29,4	29,4	29,4
Angle of Departure (Curb) (degree)	22	22	22
Rampover Angle (Curb) (degree)	21,5	21,5	21,5
COLOUR			



Aluminium Metallic



Lighting Blue



Artic White



Meteor Grey



Absolute Black

Get to Know the Ford Ranger XL

Perform Everyday

With a 1,000kg payload and 3,500kg towing capacity, the Ranger XL can confidently take on the biggest jobs on any day.



Scan to view our walkaround video



Chassis Without Crisis

Built on an ultra-high-strength steel chassis with an upgraded suspension system, the Ranger XL offers a superior and reliable ride with improved steering and handling.



Bright As Day

Ranger XL's Daytime Running Lamps help make you more visible to drivers and pedestrians during the day.



The Most Comfortable Bed to Work On

You can rest your bulky cargo and worries comfortably on the Ranger XL's 1.18m³ of cargo bed space.



Rollover Mitigation

This feature helps prevent the vehicle from getting into a roll-over situation, so you stay grounded at all times even when transporting bulky cargo.



Specification Sheet for Ranger (XL)

	2.2L XL Manual	2.2L XL Automatic	2.2L XL Manual
	4x4 High Rider	4x4 High Rider	4x4 High Rider Single Cab
ENGINE			
Type	Diesel (I4) with VGT	Diesel (I4) with VGT	Diesel (I4) with VGT
Displacement	c.c. 2198	2198	2198
Power	kW (PS) @ rpm 118 (160) @ 3200	118 (160) @ 3200	118 (160) @ 3200
Torque	Nm @ rpm 385 @ 1600 - 2600	385 @ 1600 - 2600	385 @ 1600 - 2600
Fuel Supply System	Commonrail Direct Injection	Commonrail Direct Injection	Commonrail Direct Injection
TRANSMISSION & CHASSIS			
Transmission Type	6-Speed Manual	6-Speed Automatic	6-Speed Manual
Electronic Shift-on-the-fly (ESOF)	Standard	Standard	Standard
Front Suspension	Double Wishbone with Coil Spring	Double Wishbone with Coil Spring	Double Wishbone with Coil Spring
Rear Suspension	Leaf Spring	Leaf Spring	Leaf Spring
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brake	Drum	Drum	Drum
Differential Type	Limited Slip Differential	Limited Slip Differential	Limited Slip Differential
Steering System	Rack & Pinion	Rack & Pinion	Rack & Pinion
Tyres & Wheels	255/70 R16, Alloy	255/70 R16, Alloy	255/70 R16, Alloy
DIMENSIONS			
Overall Length	(mm) 5426	5426	5362
Overall Width (Exclude Side Mirror)	(mm) 1860	1860	1860
Overall Height	(mm) 1848	1848	1821
Wheelbase	(mm) 3220	3220	3220
Ground Clearance	(mm) 237	237	237
Front Track	(mm) 1560	1560	1560
Rear Track	(mm) 1560	1560	1560
Cargo Bed Length	(mm) 1549	1549	2317
Cargo Bed Width	(mm) 1560	1560	1560
Cargo Bed W.Whl Arch	(mm) 1139	1139	1139
Cargo Bed Open T/Gate	(mm) 1330	1330	1330
Cargo Bed Loading Height	(mm) 801	801	801
Cargo Bed Depth	(mm) 511	511	511
Kerb Weight	(kg) 2082	2102	1931
Gross Weight	(kg) 3200	3200	3200
Fuel Tank Capacity	(Litres) 80	80	80
EXTERIOR FEATURE			
Front Grille	Black	Black	Black
Bumpers	Body Coloured	Body Coloured	Body Coloured
Headlamps with Manual Leveling	Halogen	Halogen	Halogen
Daytime Running Light (DRL)	Standard	Standard	Standard
Fog Lamps	Front & Rear	Front & Rear	Front & Rear
Wiper System	Manual	Manual	Manual
Wing Mirror	Power Adjustable & Manual Foldable	Power Adjustable & Manual Foldable	Power Adjustable & Manual Foldable
Side Steps	Standard	Standard	Standard
Bedliner	Standard	Standard	Standard
Rear Parking Sensor	Standard	Standard	Standard
Cargo LED Light	Standard	Standard	Standard
INTERIOR FEATURE			
Steering Wheel	Urethane with Control Switches	Urethane with Control Switches	Urethane with Control Switches
Power Assisted Steering	Electric (EPAS)	Electric (EPAS)	Electric (EPAS)
Audio System	Audio Headunit with USB & 4 Speakers	Audio Headunit with USB & 4 Speakers	Audio Headunit with USB & 2 Speakers
Rear View Mirror	Standard	Standard	Standard
Climate Control	Manual	Manual	Manual
12V Socket (Front)	Standard	Standard	Standard
Power Windows	Standard with Driver 1 - Touch Down	Standard with Driver 1 - Touch Down	Standard with Driver 1 - Touch Down
Driver Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat
Passenger Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat
Seat Material	Fabric	Fabric	Fabric
Remote Central Locking	Standard	Standard	Standard

	2.2L XL Manual	2.2L XL Automatic	2.2L XL Manual
	4x4 High Rider	4x4 High Rider	4x4 High Rider Single Cab
SAFETY & SECURITY			
Airbags (Driver & Front Passenger)	Standard	Standard	Standard
Immobilizer	Standard	Standard	Standard
ISOFIX	Standard	Standard	Standard
Antilock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake Force Distribution (EBD)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Emergency Brake Assist (EBA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Hill Launch Assist (HLA)	Standard	Standard	Standard
Rollover Mitigation (ROM)	Standard	Standard	Standard
Trailer Sway Control (TSC)	Standard	Standard	Standard
Adaptive Load Control (ALC)	Standard	Standard	Standard
STRENGTH & BREADTH OF CAPABILITIES			
Cargo Bed Volumetric Capacity (cu.mtr)	1,18	1,18	1,18
Maximum Payload (kg)	Up to 1000	Up to 1000	Up to 1000
Towing Capacity (kg)	Up to 3500	Up to 3500	Up to 3500
Water Wading Depth (mm)	800	800	800
Angle of Approach (Curb) (degree)	29,4	29,4	29,4
Angle of Departure (Curb) (degree)	22	22	22
Rampover Angle (Curb) (degree)	21,5	21,5	21,5
COLOUR			



Artic White



Meteor Grey



Aluminium Metallic